

Asthma Medication Ratio

HEDIS® Provider Guide:

(CHA members 5-20)

Measure Description

The percentage of members 5-64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of .50 or greater during the measurement year.

Using Correct Billing Codes

Codes to Identify Asthma

Description	Codes		
Asthma	ICD-10: J45.21, J45.22, J45.30-		
	J45.32, J45.40-J45.42, J45.50-J45.52,		
	J45.901, J45.902, J45.909, J45.991,		
	J45.998		

Description	Asthma Controller Medications - Prescription				
Antiasthmatic Combinations	 Dyphylline-guaifenesin 				
Antibody Inhibitor	Omalizumab				
Anti-interleukin-5	 Benralizumab 	 Mepolizumab 	Reslizumab		
Inhaled Steroid Combinations	 Budesonide-formoterol 	 Fluticasone-salmeterol 	 Fluticasone-vilanterol 		
	 Formoterol-mometasone 				
Inhaled Corticosteroids	 Beclomethasone 	 Ciclesonide 	 Fluticasone 		
	 Budesonide 	Flunisolide	 Mometasone 		
Leukotriene Modifiers	 Montelukast 	 Zafirlukast 	Zileuton		
Methylxanthines	• Theophylline				
Description	Asthma Reliever Medications - Prescription				
Short-acting, inhaled beta-2	Albuterol	Levalbuterol			
agonists					

Asthma Controller & Reliever Medications

How to Improve HEDIS® Scores

- Ensure proper coding to avoid coding asthma if not formally diagnosing asthma and only asthma-like symptoms were present (e.g., wheezing during a viral URI and acute bronchitis is not 'asthma').
- Educate patients on use of asthma medications.
- Prescribe a long-term controller medication as well as a short-term 'rescue' inhaler.
- Use the opportunity list and contact patients who have not filled a controller medication.

HEDIS® is a registered trademark for the National Committee of Quality Assurance (NCQA)