

HEDIS® Provider Guide:

Measure Description

Children 2 years of age who had the following vaccines **on or before their second birthday**:

• 4 DTaP (diphtheria, tetanus and acellular pertussis)	• 1 VZV (chicken pox)
• 3 IPV (polio)	• 4 PCV (pneumococcal conjugate)
• 1 MMR (measles, mumps, rubella)	• 1 Hep A (hepatitis A)
• 3 HiB (H influenza type B)	• 2 or 3 RV (rotavirus)
• 3 Hep B (hepatitis B)	• 2 Flu (influenza)

Using Correct Billing Codes

Codes to Identify Childhood Immunizations

Description	Codes
DTaP	90698, 90700, 90721, 90723
IPV	90698, 90713, 90723
MMR	90707, 90710
Rubella	90706
HiB	90644-90648, 90698, 90721, 90748
Hepatitis A	90633
Hepatitis B	90723, 90740, 90744, 90747, 90748
VZV	90710, 90716
Pneumococcal Conjugate	90669, 90670
Rotavirus (2 dose schedule)	90681
Rotavirus (3 dose schedule)	90680
Influenza	90655, 90657, 90661, 90662, 90673, 90685-90688

* ICD-10 -CM codes are to be used on or after 10/1/2015.

How to Improve HEDIS® Scores

- Use the California State Immunization Registry (CAIR) to register immunizations: www.cair.com
- Review a child's immunizations record before every visit and administer needed vaccines.
- Recommend immunizations to parents. Parents are more likely to agree with vaccinations when supported by the provider. Address common misconceptions about vaccinations.
- Have a system for patient reminders.
- Some vaccines may have been given before the patients were CHOC Health Alliance members. Transcribe these vaccinations into CAIR even if your office did not provide the vaccine.