

**Clinical Excellence Measures**

*Use of these codes should be appropriate to the service(s) rendered and follow the billing guidelines.*

*For HEDIS® measures the codes are from the NCQA HEDIS® specifications and may not reflect Medi-Cal/Medicare billing guidelines and reimbursement.*

HEDIS® Measure & Description	Medical Record Documentation Needed	Description & Codes
<p><b>Weight Assessment &amp; Counseling for Nutrition and Physical Activity for Children/Adolescents- (WCC)</b></p> <p>The percentage of members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year:</p> <ul style="list-style-type: none"> <li>• BMI Percentile</li> <li>• Counseling for Nutrition</li> <li>• Counseling for Physical Activity</li> </ul>	<p><b>Specifications:</b></p> <p><b>BMI Percentile</b></p> <ul style="list-style-type: none"> <li>• Documentation MUST include height, weight and BMI percentile during the measurement year, and it must be from the same data source.                             <ul style="list-style-type: none"> <li>○ BMI percentile documented as a value (e.g., 85<sup>th</sup> percentile)</li> <li>○ BMI percentile plotted on age-growth chart</li> </ul> </li> </ul> <p><b>Counseling for Nutrition &amp; Physical Activity</b></p> <ul style="list-style-type: none"> <li>• Documentation must include a note indicating the date and at least one of the following (one for Nutrition and one for Physical Activity):                             <ul style="list-style-type: none"> <li>○ Discussion of current behaviors (e.g., eating habits, dieting behaviors, exercise routine participation in sports activities, etc.).</li> <li>○ Checklist indicating nutrition/ physical activity was addressed.</li> <li>○ Counseling or referral for nutrition education/ physical activity.</li> <li>○ Member received educational material on nutrition/ physical activity during a face-to-face visit.</li> <li>○ Anticipatory guidance for nutrition/specific to the child's physical activity.</li> <li>○ Weight or obesity counseling.</li> </ul> </li> </ul>	<p><b>BMI Percentile</b></p> <p>Z68.51 – <i>Underweight</i> (Less than the 5<sup>th</sup> percentile for age)</p> <p>Z68.52 – <i>Healthy Weight</i> (5<sup>th</sup> percentile to less than the 85<sup>th</sup> percentile for age)</p> <p>Z68.53 – <i>Overweight</i> (85<sup>th</sup> percentile to less than the 95<sup>th</sup> percentile for age)</p> <p>Z68.54 – <i>Obese</i> (Greater to or equal to the 95<sup>th</sup> percentile)</p> <p><b>Counseling for Nutrition:</b> CPT: 97802-97804 ICD-10: Z71.3</p> <p><b>Counseling for Physical Activity:</b> ICD-10: Z02.5, Z71.82</p>

HEDIS® Measure & Description	Medical Record Documentation Needed	Description	Codes
<p><b>Chlamydia Screening (CHL)</b></p> <p>Women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.</p>	<p><b>Specifications:</b></p> <ul style="list-style-type: none"> <li>Documentation in the medical record must include both of the following:                             <ul style="list-style-type: none"> <li>A note indicating the date the test was performed</li> <li>The result or finding</li> </ul> </li> </ul> <p><b>Members identified as sexually active:</b></p> <ul style="list-style-type: none"> <li>Pregnancy</li> <li>STI Screening</li> <li>Contraceptive prescribed</li> <li>Pregnancy Test Completed</li> </ul>	Chlamydia Screening	87110, 87270, 87320, 87490-87492, 87810
HEDIS® Measure & Description	Medical Record Documentation Needed	Category	Medication
<p><b>Asthma Medication Ration (AMR)</b></p> <p>Members 5-64 years of age identified as having persistent asthma and a ratio of controller medications to total asthma medications of 50% or greater during the measurement year.</p> <p><b>Medication Management for People with Asthma (MMA)</b></p> <p>Members 5-64 years of age identified as having persistent asthma and were dispensed and remained on controller medications for at least 75% of their treatment period.</p>	<p><b>Criteria for Persistent Asthma:</b> At least <b>one (1)</b> of the criteria below must be met during the measurement year and the year prior (the criteria does not need to be the same for both years):</p> <ul style="list-style-type: none"> <li>At least <b>one (1)</b> ED visit with asthma as the principal diagnosis <b>OR</b></li> <li>At least <b>one (1)</b> acute Inpatient encounter or discharge with asthma as the principal diagnosis <b>OR</b></li> <li>At least <b>four (4)</b> outpatient visits or observation visits, telephone visits or e-visits or virtual check-ins on different dates of service, with any diagnosis of asthma and at least <b>two (2)</b> asthma medication dispensing events. Visit type need not be the same for the <b>four (4)</b> visits <b>OR</b></li> <li>At least <b>four (4)</b> asthma medication dispensing events for any controller or reliever medication.</li> </ul>	Antiasthmatic Combinations	<ul style="list-style-type: none"> <li>Dyphylline-guaifenesin</li> </ul>
		Antibody Inhibitor	<ul style="list-style-type: none"> <li>Omalizumab</li> </ul>
		Anti-interleukin-4	<ul style="list-style-type: none"> <li>Dupilumab</li> </ul>
		Anti-interleukin-5	<ul style="list-style-type: none"> <li>Benralizumab</li> <li>Mepolizumab</li> <li>Reslizumab</li> </ul>
		Inhaled Steroid Combinations	<ul style="list-style-type: none"> <li>Budesonide-formoterol</li> <li>Fluticasone-salmeterol</li> <li>Fluticasone-vilanterol</li> <li>Formoterol-mometasone</li> </ul>
		Inhaled Corticosteroids	<ul style="list-style-type: none"> <li>Beclomethasone</li> <li>Budesonide</li> <li>Ciclesonide</li> <li>Flunisolide</li> <li>Fluticasone</li> <li>Mometasone</li> </ul>
		Leukotriene Modifiers	<ul style="list-style-type: none"> <li>Montelukast</li> <li>Zafirlukast</li> <li>Zileuton</li> </ul>
Methylxanthines	<ul style="list-style-type: none"> <li>Theophylline</li> </ul>		

HEDIS® Measure & Description	Medical Record Documentation Needed	CPT Codes	ICD-10 Codes
<p><b>Well-Child Visits in the First 30 Months of Life (W30)</b></p> <p><b>Part I:</b> Children who turned 15 months old during the measurement year and who had at least 6 well child visits with a PCP prior to turning 15 months.</p> <p><b>Part II:</b> Children 15 months-30 months old during the measurement year and who had at least 2 well child visits with a PCP.</p>	<p><b>Specifications:</b> Documentation from the medical record must include a note indicating a visit with a PCP or OB/GYN, the date when the well-care visit occurred, and evidence of <b>all</b> of the following:</p> <ul style="list-style-type: none"> <li>• <b>Health history</b> (allergies, birth hx, family hx, status since last visit, hospitalizations).</li> <li>• <b>Physical developmental history</b> (diet, physical fitness, school activities, sexual activity/pelvic exam, growth chart).</li> <li>• <b>Mental developmental history</b> (peer relationships, sexual activity, school grades, decision making).</li> <li>• <b>Physical exam</b> (vital signs and review of systems).</li> <li>• <b>Health education/anticipatory guidance</b> (completed Staying Healthy Assessment, seat belt and helmet use, diet, exercise, smoking, drug use, health habits, self-care, etc.).</li> </ul>	99381-99385, 99391-99395, 99461	Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z76.1, Z76.2
<p><b>Well-Child Visits 3-21 Years of Age (WCV)</b></p> <p>Children 3-21 years of age who had at least one (1) well-care visit with a Primary Care Provider (PCP) or OB/GYN during the measurement year.</p>	<p><b>Specifications:</b> Documentation from the medical record must include a note indicating a visit with a PCP, the date when the initial health assessment occurred, and evidence of <b>all</b> of the following:</p> <ul style="list-style-type: none"> <li>• Comprehensive history, which includes history of present illness, past medical history, social history and review of organ systems</li> <li>• Preventive services</li> <li>• Comprehensive physical and mental status exam</li> <li>• Diagnosis and plan of care</li> <li>• Individual Health Education Behavioral (IHEBA) or Staying Healthy Assessment (SHA)</li> </ul>	99201-99205, 99211-99215, 99241-99245, 99304-99306, 99326-99328, 99341-99345, 99348-99350, 99381-99384, 99391-99394, 99406, 99407, 99461	
Measure & Description	Medical Record Documentation Needed	CPT Codes or Diagnosis Codes	
		IHA Visit Codes (Part I)	
<p><b>Initial Health Assessment (IHA)</b></p> <p>Individuals newborn to 20 years of age who completed an initial health assessment within 120 days of the member’s effective date with CalOptima and includes the following:</p> <p><b>Part I:</b></p> <ul style="list-style-type: none"> <li>• Comprehensive history</li> <li>• Preventive services</li> <li>• Comprehensive physical and mental status exam</li> <li>• Diagnosis and plan of care</li> </ul> <p><b>Part II:</b></p> <ul style="list-style-type: none"> <li>• Individual Health Education Behavioral Assessment (IHEBA) or Staying Health Assessment (SHA)</li> </ul>	<p><b>Specifications:</b> Documentation from the medical record must include a note indicating a visit with a PCP, the date when the initial health assessment occurred, and evidence of <b>all</b> of the following:</p> <ul style="list-style-type: none"> <li>• Comprehensive history, which includes history of present illness, past medical history, social history and review of organ systems</li> <li>• Preventive services</li> <li>• Comprehensive physical and mental status exam</li> <li>• Diagnosis and plan of care</li> <li>• Individual Health Education Behavioral (IHEBA) or Staying Healthy Assessment (SHA)</li> </ul>	99201-99205, 99211-99215, 99241-99245, 99304-99306, 99326-99328, 99341-99345, 99348-99350, 99381-99384, 99391-99394, 99406, 99407, 99461	
		IHEBA/SHA Codes (Part II)	
		96156	

HEDIS® Measure & Description	Medical Record Documentation Needed	Immunization	Codes
<p><b>Immunizations for Adolescents (IMA)</b></p> <p>Adolescents 13 years of age who received the following vaccines on or before their 13<sup>th</sup> birthday:</p> <ul style="list-style-type: none"> <li>• <b>1 Meningococcal Vaccine</b> (must be completed on or between the 11<sup>th</sup> and 13<sup>th</sup> birthdays)</li> <li>• <b>1 Tdap</b> (must be completed on or between the 10<sup>th</sup> and 13<sup>th</sup> birthdays)</li> <li>• <b>2 or 3 Doses of Human Papillomavirus Vaccine</b> (entire series completed between the 9<sup>th</sup> and 13<sup>th</sup> birthdays)</li> </ul>	<p><b>Specifications:</b> For immunization evidence obtained from the medical record, count members where there is evidence that the antigen was rendered from either of the following:</p> <ul style="list-style-type: none"> <li>• A note indicating the name of the specific antigen and the date of service, <b>or</b></li> <li>• A certificate of immunization prepared by an authorized health care provider or agency including the specific dates and types of immunizations administered.</li> </ul> <p>Meningococcal conjugate or meningococcal polysaccharide vaccine <b><u>on or between the 11<sup>th</sup> and 13<sup>th</sup> birthdays.</u></b></p> <p>Tdap <b><u>on or between the 10<sup>th</sup> and 13<sup>th</sup> birthdays.</u></b></p> <p>At least two HPV vaccines, with different dates of service <b><u>on or between the member’s 9<sup>th</sup> and 13<sup>th</sup> birthdays.</u></b> There must be at least 146 days between the first and second dose of the HPV vaccine.</p> <p>At least three HPV vaccinations, with different dates of service, <b><u>on or between the member’s 9<sup>th</sup> and 13<sup>th</sup> birthdays.</u></b></p>	<p>Meningococcal</p> <p>Tdap</p> <p>Human Papillomavirus (HPV)</p>	<p>90619, 90733, 90734</p> <p>90715</p> <p>90649, 90650, 90651</p>
HEDIS® Measure & Description	Medical Record Documentation Needed	CPT Codes	
<p><b>Lead Screening (LSC)</b></p> <p>Children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning <b><u>on or before their second birthday.</u></b></p>	<p><b>Specifications:</b> Documentation from the medical record must include both of the following:</p> <ul style="list-style-type: none"> <li>• A note indicating the date the test was performed</li> <li>• The result or finding</li> </ul>	<p>83655</p>	

## Quick Reference Guide – Clinical Excellence 2023

HEDIS® Measure & Description	Medical Record Documentation Needed	Immunization	Codes										
<p><b>Childhood Immunization Status – Combo 10 (CIS)</b></p> <p>Children 2 years of age who had the following vaccines <b>on or before their second birthday</b>:</p> <table border="1" data-bbox="111 396 636 898"> <tr> <td>4 DTaP (diphtheria, tetanus and acellular pertussis)</td> <td>3 HiB (H influenza type B)</td> </tr> <tr> <td>3 IPV (polio)</td> <td>4 PCV (pneumococcal conjugate)</td> </tr> <tr> <td>1 MMR (measles, mumps, rubella)</td> <td>1 Hep A (hepatitis A)</td> </tr> <tr> <td>1 VZV (chicken pox)</td> <td>2 or 3 RV (rotavirus)</td> </tr> <tr> <td>3 Hep B (hepatitis B)</td> <td>2 Flu (influenza)</td> </tr> </table> <p><b>All vaccines must be completed on or before the child's 2<sup>nd</sup> birthday.</b></p>	4 DTaP (diphtheria, tetanus and acellular pertussis)	3 HiB (H influenza type B)	3 IPV (polio)	4 PCV (pneumococcal conjugate)	1 MMR (measles, mumps, rubella)	1 Hep A (hepatitis A)	1 VZV (chicken pox)	2 or 3 RV (rotavirus)	3 Hep B (hepatitis B)	2 Flu (influenza)	<p><b>Specifications:</b></p> <p>For MMR, Hepatitis B, VZV &amp; Hepatitis A, count any of the following</p> <ul style="list-style-type: none"> <li>Evidence of the antigen or combination vaccine, OR</li> <li>Documented history of the illness, <b>OR</b></li> <li>A seropositive test result for each antigen</li> </ul> <p>For DTaP, IPV, HiB, Pneumococcal conjugate, Rotavirus &amp; Influenza, count <b>only</b> the following.</p> <ul style="list-style-type: none"> <li>Evidence of the antigen or combination vaccine.</li> </ul> <p>For combination vaccinations that require more than one antigen (i.e. DTaP and MMR), there must be evidence of all the antigens.</p> <p><b>DTaP*</b>: At least <b>four (4)</b> DTaP vaccinations, with different dates of service.</p> <p><b>IPV*</b>: At least <b>three (3)</b> IPV vaccinations, with different dates of service.</p> <p><b>MMR^</b>: At least <b>one (1)</b> MMR vaccination, with a date of service falling on or before the child's second (2<sup>nd</sup>) birthday.</p> <p><b>HiB*</b>: At least <b>three (3)</b> HiB vaccinations, with different dates of service.</p> <p><b>Hepatitis B:</b> At least <b>three (3)</b> hepatitis B vaccinations, with different dates of service.</p> <p><b>VZV^</b>: At least <b>one (1)</b> VZV vaccination, with a date of service falling on or before the child's second (2<sup>nd</sup>) birthday.</p> <p><b>Pneumococcal Conjugate*</b>: At least <b>four (4)</b> pneumococcal conjugate vaccinations, with different dates of service.</p> <p><b>Hepatitis A:</b> <b>One (1)</b> hepatitis A vaccination, with a date of service falling on or before the child's second (2<sup>nd</sup>) birthday.</p> <p><b>Rotavirus*</b>: The child must receive the required number of rotavirus <b>two (2) doses or three (3) doses</b>, depending on which vaccine is administered), with different dates of service.</p> <p><b>Influenza+</b>: <b>Two (2)</b> influenza vaccinations, with different dates of service.</p> <p><i>*Vaccines administered prior to 42 days after birth will not count.</i>  <i>^ Vaccines administered prior to child's first birthday will not count.</i>  <i>+Vaccines administered prior to 6 months (180 days) after birth will not count.</i></p>	<p>DTaP</p> <p>IPV</p> <p>MMR</p> <p>HiB</p> <p>Hepatitis B</p> <p>VZV</p> <p>Pneumococcal Conjugate</p> <p>Hepatitis A</p> <p>Rotavirus (2-3 dose schedules)</p> <p>Influenza</p>	<p>90697, 90698, 90700, 90723</p> <p>90697, 90698, 90713, 90723</p> <p>90707, 90710</p> <p>90644, 90647, 90648, 90697, 90698, 90748</p> <p>90697, 90723, 90740, 90744, 90747, 90748</p> <p>90710, 90716</p> <p>90670</p> <p>90633</p> <p>90681 (2 dose schedule) 90680 (3 dose schedule)</p> <p>90655, 90657, 90661, 90673, 90685-90689, 90756</p>
4 DTaP (diphtheria, tetanus and acellular pertussis)	3 HiB (H influenza type B)												
3 IPV (polio)	4 PCV (pneumococcal conjugate)												
1 MMR (measles, mumps, rubella)	1 Hep A (hepatitis A)												
1 VZV (chicken pox)	2 or 3 RV (rotavirus)												
3 Hep B (hepatitis B)	2 Flu (influenza)												